

Residential Customers

PG&E EQUIVALENT SCHEDULE	MBCP RATE SCHEDULE	CHARGE TYPE	PERIOD	MBCP PROPOSED RATE	MBCP PROPOSED RATE WITH SURCHARGES ADDED	PG&E GENERATION RATE
--------------------------------	-----------------------	----------------	--------	--------------------------	---------------------------------------------------	----------------------------

E-1, EL-1, EM, EML, ES, ESL, ESR, ESRL, ET, ETL	E-1	ENERGY CHARGE (\$/KWH)	YEAR- ROUND	0.07379	0.10780	0.10780
----------------------------------------------------------	------------	------------------------------	----------------	---------	----------------	---------

E-6, EL-6	E-6	ENERGY CHARGE (\$/KWH)	SUMMER PEAK	0.20373	0.23774	0.23774
			SUMMER PART-PEAK	0.09088	0.12489	0.12489
			SUMMER OFF-PEAK	0.04482	0.07883	0.07883
			WINTER PART-PEAK	0.07039	0.10440	0.10440
			WINTER OFF- PEAK	0.05772	0.09173	0.09173

EV-A, EV-B	EV (EV-A and EV-B)	ENERGY CHARGE (\$/KWH)	SUMMER PEAK	0.21273	0.24674	0.24674
			SUMMER PART-PEAK	0.0849	0.11891	0.11891
			SUMMER OFF-PEAK	0.02575	0.05976	0.05976
			WINTER PEAK	0.05819	0.09220	0.09220
			WINTER PART-PEAK	0.0236	0.05761	0.05761
			WINTER OFF-PEAK	0.02788	0.06189	0.06189

E-TOU-A, EL-TOU-A	E-TOU-A	ENERGY CHARGE (\$/KWH)	SUMMER PEAK	0.15649	0.19050	0.19050
			SUMMER OFF-PEAK	0.08092	0.11493	0.11493
			WINTER PEAK	0.06915	0.10316	0.10316
			WINTER OFF-PEAK	0.05486	0.08887	0.08887

E-TOU-B, EL-TOU-B	E-TOU-B	ENERGY CHARGE (\$/KWH)	SUMMER PEAK	0.17837	0.21238	0.21238
-------------------	----------------	------------------------	-------------	---------	----------------	---------

SUMMER OFF-PEAK	0.07531	0.10932	0.10932
WINTER PEAK	0.07153	0.10554	0.10554
WINTER OFF- PEAK	0.05273	0.08674	0.08674

Commercial Industrial and General Service

PG&E EQUIVALENT SCHEDULE	MBCP RATE SCHEDULE	CHARGE TYPE	PERIOD	MBCP PROPOSED		PG&E GENERATION RATE
				MBCP PROPOSED RATE	RATE WITH SURCHARGES ADDED	

A-1-A	A-1-A	ENERGY CHARGE (\$/KWH)	SUMMER	0.10042	0.12570	0.12570
			WINTER	0.0612	0.08648	0.08648

SUMMER

A-1-B	A-1-B	ENERGY CHARGE (\$/KWH)	PEAK	0.11456	0.13984	0.13984
			PART-PEAK	0.09091	0.11619	0.11619
			OFF-PEAK	0.06356	0.08884	0.08884

WINTER

PART-PEAK	0.09072	0.11600	0.11600
OFF-PEAK	0.0698	0.09508	0.09508

SUMMER

A-6	A-6	ENERGY CHARGE (\$/KWH)	PEAK	0.35216	0.37744	0.37744
			PART-PEAK	0.11258	0.13786	0.13786
			OFF-PEAK	0.05429	0.07957	0.07957

WINTER

PART-PEAK	0.07975	0.10503	0.10503
OFF-PEAK	0.06226	0.08754	0.08754

A-10-A-S	A-10-A	ENERGY CHARGE (\$/KWH)	SUMMER	0.09046	0.11614	0.11614
			WINTER	0.06348	0.08916	0.08916

		DEMAND CHARGE (\$/KW)	SUMMER MAX	5.41	5.41	5.41000
--	--	-----------------------	------------	------	-------------	---------

A-10-A-P	A-10-A-P	ENERGY CHARGE (\$/KWH)	SUMMER	0.08052	0.10620	0.10620
			WINTER	0.05714	0.08282	0.08282

DEMAND CHARGE (\$/KW)	SUMMER MAX	4.7	4.70	4.70000
-----------------------	------------	-----	-------------	---------

SUMMER

A-10-B-S	A-10-B	ENERGY CHARGE (\$/KWH)	PEAK	0.14434	0.17002	0.17002
			PART-PEAK	0.08921	0.11489	0.11489
			OFF-PEAK	0.06114	0.08682	0.08682

WINTER

PART-PEAK	0.07327	0.09895	0.09895
OFF-PEAK	0.0562	0.08188	0.08188

DEMAND CHARGE (\$/KW)	SUMMER MAX	5.41	5.41	5.41
-----------------------	------------	------	-------------	------

SUMMER

A-10-B-T	A-10-B-T	ENERGY CHARGE (\$/KWH)	PEAK	0.11822	0.14390	0.14390
			PART-PEAK	0.07135	0.09703	0.09703
			OFF-PEAK	0.04604	0.07172	0.07172

WINTER

PART-PEAK	0.05956	0.08524	0.08524
OFF-PEAK	0.04498	0.07066	0.07066

DEMAND CHARGE (\$/KW)	SUMMER MAX	3.69	3.69	3.69
-----------------------	------------	------	-------------	------

SUMMER

A-10-B-P	A-10-B-P	ENERGY CHARGE (\$/KWH)	PEAK	0.13245	0.15813	0.15813
			PART-PEAK	0.08189	0.10757	0.10757
			OFF-PEAK	0.05526	0.08094	0.08094

WINTER

PART-PEAK	0.06819	0.09387	0.09387
OFF-PEAK	0.05231	0.07799	0.07799

DEMAND CHARGE (\$/KW)	SUMMER MAX	4.7	4.70	4.70
-----------------------	------------	-----	-------------	------

SUMMER

E-19-S, V	E-19-S	ENERGY CHARGE (\$/KWH)	PEAK	0.11601	0.13766	0.13766
			PART-PEAK	0.07159	0.09324	0.09324
			OFF-PEAK	0.04217	0.06382	0.06382

WINTER

PART-PEAK	0.0655	0.08715	0.08715
OFF-PEAK	0.04947	0.07112	0.07112

SUMMER

DEMAND CHARGE (\$/KW)	PEAK	13.86	13.86	13.86
	PART-PEAK	3.42	3.42	3.42

SUMMER

E-19-P, V	E-19-P	ENERGY CHARGE (\$/KWH)	PEAK	0.10586	0.12751	0.12751
			PART-PEAK	0.06381	0.08546	0.08546
			OFF-PEAK	0.03678	0.05843	0.05843

WINTER

PART-PEAK	0.05813	0.07978	0.07978
OFF-PEAK	0.04346	0.06511	0.06511

SUMMER

DEMAND CHARGE (\$/KW)	PEAK	12.37	12.37	12.37
	PART-PEAK	3.01	3.01	3.01

PG&E EQUIVALENT SCHEDULE	MBCP RATE SCHEDULE	CHARGE TYPE	PERIOD	MBCP PROPOSED		PG&E GENERATION RATE
				MBCP PROPOSED RATE	RATE WITH SURCHARGES ADDED	

SUMMER

E-19-T, V	E-19-T	ENERGY CHARGE (\$/KWH)	PEAK	0.06931	0.09096	0.09096
			PART-PEAK	0.05504	0.07669	0.07669
			OFF-PEAK	0.03615	0.05780	0.05780

WINTER

PART-PEAK	0.05728	0.07893	0.07893
OFF-PEAK	0.04277	0.06442	0.06442

SUMMER

DEMAND CHARGE (\$/KW)	PEAK	14.06	14.06	14.06
	PART-PEAK	3.53	3.53	3.53

SUMMER

E-19-R-S, V-R-S	E-19-R-S	ENERGY CHARGE (\$/KWH)	PEAK	0.26933	0.29098	0.29098
			PART-PEAK	0.10726	0.12891	0.12891
			OFF-PEAK	0.04217	0.06382	0.06382

WINTER

PART-PEAK	0.0655	0.08715	0.08715
OFF-PEAK	0.04947	0.07112	0.07112

SUMMER

E-19-R-P, V-R-P	E-19-R-P	ENERGY CHARGE (\$/KWH)	PEAK	0.25631	0.27796	0.27796
			PART-PEAK	0.09828	0.11993	0.11993
			OFF-PEAK	0.03678	0.05843	0.05843

WINTER

PART-PEAK	0.05813	0.07978	0.07978
OFF-PEAK	0.04346	0.06511	0.06511

SUMMER

E-19-R-T, V-R-T	E-19-R-T	ENERGY CHARGE (\$/KWH)	PEAK	0.25521	0.27686	0.27686
			PART-PEAK	0.09889	0.12054	0.12054
			OFF-PEAK	0.03615	0.05780	0.05780

WINTER

PART-PEAK	0.05728	0.07893	0.07893
OFF-PEAK	0.04277	0.06442	0.06442

SUMMER

E-20-S	E-20-S	ENERGY CHARGE (\$/KWH)	PEAK	0.10701	0.12784	0.12784
			PART-PEAK	0.06664	0.08747	0.08747
			OFF-PEAK	0.03893	0.05976	0.05976

WINTER

PART-PEAK	0.06078	0.08161	0.08161
OFF-PEAK	0.04576	0.06659	0.06659

SUMMER

DEMAND CHARGE (\$/KW)	PEAK	13.41	13.41	13.41
	PART-PEAK	3.31	3.31	3.31

SUMMER

E-20-P	E-20-P	ENERGY CHARGE (\$/KWH)	PEAK	0.11129	0.13073	0.13073
			PART-PEAK	0.06679	0.08623	0.08623
			OFF-PEAK	0.03942	0.05886	0.05886

WINTER

PART-PEAK	0.06093	0.08037	0.08037
OFF-PEAK	0.04614	0.06558	0.06558

SUMMER

DEMAND CHARGE (\$/KW)	PEAK	14.72	14.72	14.72
	PART-PEAK	3.48	3.48	3.48

PG&E EQUIVALENT SCHEDULE	MBCP RATE SCHEDULE	CHARGE TYPE	PERIOD	MBCP PROPOSED		PG&E GENERATION RATE
				MBCP PROPOSED RATE	RATE WITH SURCHARGES ADDED	

SUMMER

E-20-T	E-20-T	ENERGY CHARGE (\$/KWH)	PEAK	0.06764	0.08550	0.08550
			PART-PEAK	0.05423	0.07209	0.07209
			OFF-PEAK	0.03648	0.05434	0.05434

WINTER

PART-PEAK	0.05634	0.07420	0.07420
OFF-PEAK	0.0427	0.06056	0.06056

SUMMER

DEMAND CHARGE (\$/KW)	PEAK	17.42	17.42	17.42
-----------------------	------	-------	--------------	-------

PART-PEAK	4.15	4.15	4.15
-----------	------	-------------	------

SUMMER

E-20-R-S	E-20-R-S	ENERGY CHARGE (\$/KWH)	PEAK	0.24431	0.26514	0.26514
			PART-PEAK	0.09984	0.12067	0.12067
			OFF-PEAK	0.03893	0.05976	0.05976

WINTER

PART-PEAK	0.06078	0.08161	0.08161
OFF-PEAK	0.04576	0.06659	0.06659

SUMMER

E-20-R-P	E-20-R-P	ENERGY CHARGE (\$/KWH)	PEAK	0.26285	0.28229	0.28229
			PART-PEAK	0.10012	0.11956	0.11956
			OFF-PEAK	0.03942	0.05886	0.05886

WINTER

PART-PEAK	0.06093	0.08037	0.08037
OFF-PEAK	0.04614	0.06558	0.06558

SUMMER

E-20-R-T	E-20-R-T	ENERGY CHARGE (\$/KWH)	PEAK	0.25576	0.27362	0.27362
			PART-PEAK	0.09407	0.11193	0.11193
			OFF-PEAK	0.03648	0.05434	0.05434

WINTER

PART-PEAK	0.05634	0.07420	0.07420
OFF-PEAK	0.0427	0.06056	0.06056

SUMMER

E-37-S	E-37-S	ENERGY CHARGE (\$/KWH)	PEAK	0.13821	0.15904	0.15904
			OFF-PEAK	0.03264	0.05347	0.05347

WINTER

PART-PEAK	0.05464	0.07547	0.07547
OFF-PEAK	0.02354	0.04437	0.04437

SUMMER

DEMAND CHARGE (\$/KW)	MAX	4.87	4.87	4.87
	PEAK	6.1	6.10	6.10
	PRIMARY VOLTAGE DISCOUNT	(1.53)	(1.53)	(1.53)

STANDBY CUSTOMERS

PG&E EQUIVALENT SCHEDULE	MBCP RATE SCHEDULE	CHARGE TYPE	PERIOD	MBCP PROPOSED		PG&E GENERATION RATE
				MBCP PROPOSED RATE	RATE WITH SURCHARGES ADDED	

SUMMER

STANDBY - S	STOUS	ENERGY CHARGE (\$/KWH)	PEAK	0.09701	0.10947	0.10947
			PART-PEAK	0.07964	0.09210	0.09210
			OFF-PEAK	0.05691	0.06937	0.06937

WINTER

PART-PEAK	0.08241	0.09487	0.09487
OFF-PEAK	0.0648	0.07726	0.07726

RESERVATIO N CHARGE (\$/KW)	YEAR- ROUND	0.42	0.42	0.42
-----------------------------------	----------------	------	-------------	------

SUMMER

STANDBY - P	STOUP	ENERGY CHARGE (\$/KWH)	PEAK	0.09701	0.10947	0.10947
-------------	--------------	------------------------------	------	---------	----------------	---------

PART-PEAK	0.07964	0.09210	0.09210
OFF-PEAK	0.05691	0.06937	0.06937

WINTER

PART-PEAK	0.08241	0.09487	0.09487
OFF-PEAK	0.0648	0.07726	0.07726

RESERVATION CHARGE (\$/KW)	YEAR-ROUND	0.42	0.42	0.42
----------------------------	------------	------	-------------	------

SUMMER

STANDBY - T	STOUT	ENERGY CHARGE (\$/KWH)	PEAK	0.07946	0.09192	0.09192
			PART-PEAK	0.06503	0.07749	0.07749
			OFF-PEAK	0.04595	0.05841	0.05841

WINTER

PART-PEAK	0.0673	0.07976	0.07976
OFF-PEAK	0.05265	0.06511	0.06511

RESERVATION CHARGE (\$/KW)	YEAR-ROUND	0.35	0.35	0.35
----------------------------	------------	------	-------------	------

AGRICULTURAL CUSTOMERS

PG&E EQUIVALENT SCHEDULE	MBCP RATE SCHEDULE	CHARGE TYPE	PERIOD	MBCP PROPOSED		PG&E GENERATION RATE
				MBCP PROPOSED RATE	RATE WITH SURCHARGES ADDED	

AG-1-A	AG-1-A	ENERGY CHARGE (\$/KWH)	SUMMER	0.08358	0.10874	0.10874
			WINTER	0.06205	0.08721	0.08721

		CONNECTED LOAD (\$/HP)	SUMMER MAX	1.49	1.49	1.49
--	--	---------------------------	---------------	------	-------------	------

AG-1-B	AG-1-B	ENERGY CHARGE (\$/KWH)	SUMMER	0.08682	0.11198	0.11198
			WINTER	0.06213	0.08729	0.08729

		DEMAND CHARGE (\$/KW)	SUMMER MAX	2.24	2.24	2.24
--	--	-----------------------------	---------------	------	-------------	------

PRIMARY VOLTAGE DISCOUNT (\$/kW)	SUMMER	0.83	0.83	0.83
----------------------------------	--------	------	-------------	------

SUMMER

AG-RA	AG-RA	ENERGY CHARGE (\$/KWH)	PEAK	0.26753	0.29269	0.29269
			OFF-PEAK	0.04856	0.07372	0.07372

WINTER

PART-PEAK	0.05636	0.08152	0.08152
OFF-PEAK	0.04423	0.06939	0.06939

CONNECTED LOAD (\$/HP)	SUMMER	1.44	1.44	1.44
------------------------	--------	------	-------------	------

SUMMER

AG-RB	AG-RB	ENERGY CHARGE (\$/KWH)	PEAK	0.23916	0.26432	0.26432
			OFF-PEAK	0.04801	0.07317	0.07317

WINTER

PART-PEAK	0.04197	0.06713	0.06713
OFF-PEAK	0.03201	0.05717	0.05717

SUMMER

DEMAND CHARGE (\$/KW)				
	MAX	2.13	2.13	2.13
	PEAK	2.39	2.39	2.39

SUMMER

AG-VA	AG-VA	ENERGY CHARGE (\$/KWH)				
			PEAK	0.23094	0.25610	0.25610
			OFF-PEAK	0.04558	0.07074	0.07074

WINTER

	PART-PEAK	0.05469	0.07985	0.07985
	OFF-PEAK	0.04281	0.06797	0.06797

CONNECTED LOAD (\$/HP)				
	SUMMER	1.5	1.50	1.50

SUMMER

AG-VB	AG-VB	ENERGY CHARGE (\$/KWH)				
			PEAK	0.21133	0.23649	0.23649
			OFF-PEAK	0.04602	0.07118	0.07118

WINTER

PART-PEAK	0.04222	0.06738	0.06738
OFF-PEAK	0.03221	0.05737	0.05737

SUMMER

DEMAND CHARGE (\$/KW)	MAX	1.95	1.95	1.95
	PEAK	2.51	2.51	2.51

SUMMER

AG-4-A, AG-4-D	AG-4-A	ENERGY CHARGE (\$/KWH)	PEAK	0.14883	0.17399	0.17399
			OFF-PEAK	0.04995	0.07511	0.07511

WINTER

PART-PEAK	0.05444	0.07960	0.07960
OFF-PEAK	0.04266	0.06782	0.06782

CONNECTED LOAD (\$/HP)	SUMMER	1.48	1.48	1.48
------------------------	--------	------	-------------	------

PG&E EQUIVALENT SCHEDULE	MBCP RATE SCHEDULE	CHARGE TYPE	PERIOD	MBCP PROPOSED		PG&E GENERATION RATE
				MBCP PROPOSED RATE	RATE WITH SURCHARGES ADDED	

SUMMER

AG-4-B, AG-4-E	AG-4-B	ENERGY CHARGE (\$/KWH)	PEAK	0.10809	0.13325	0.13325
			OFF-PEAK	0.05218	0.07734	0.07734

WINTER

PART-PEAK	0.05026	0.07542	0.07542
OFF-PEAK	0.03901	0.06417	0.06417

SUMMER

DEMAND CHARGE (\$/KW)	MAX	2.62	2.62	2.62
	PEAK	2.78	2.78	2.78
	PRIMARY VOLTAGE MAX DISCOUNT	(0.65)	(0.65)	(0.65)

SUMMER

AG-4-C, AG-4-F	AG-4-C	ENERGY CHARGE (\$/KWH)	PEAK	0.12861	0.15377	0.15377
			PART-PEAK	0.06189	0.08705	0.08705
			OFF-PEAK	0.03765	0.06281	0.06281

WINTER

PART-PEAK	0.04453	0.06969	0.06969
OFF-PEAK	0.03412	0.05928	0.05928

SUMMER

DEMAND CHARGE (\$/KW)	PEAK	6.45	6.45	6.45
	PART-PEAK	1.1	1.10	1.10

SUMMER

AG-5-A, AG-5-D	AG-5-A	ENERGY CHARGE (\$/KWH)	PEAK	0.13767	0.16283	0.16283
			OFF-PEAK	0.05535	0.08051	0.08051

WINTER

PART-PEAK	0.05916	0.08432	0.08432
OFF-PEAK	0.04675	0.07191	0.07191

CONNECTED LOAD (\$/HP)	SUMMER	4.05	4.05	4.05
------------------------	--------	------	-------------	------

SUMMER

AG-5-B, AG-5-E	AG-5-B	ENERGY CHARGE (\$/KWH)	PEAK	0.13388	0.15904	0.15904
			OFF-PEAK	0.02831	0.05347	0.05347

WINTER

PART-PEAK	0.05031	0.07547	0.07547
OFF-PEAK	0.01921	0.04437	0.04437

SUMMER

DEMAND CHARGE (\$/KW)	MAX	4.87	4.87	4.87
	PEAK	6.1	6.10	6.10

PRIMARY VOLTAGE MAX DISCOUNT (\$/Kw)	YEAR-ROUND	(1.53)	(1.53)	(1.53)
--------------------------------------	------------	--------	---------------	--------

SUMMER

AG-5-C, AG-5-F	AG-5-C	ENERGY CHARGE (\$/KWH)	PEAK	0.10667	0.13183	0.13183
----------------	---------------	------------------------	------	---------	----------------	---------

PART-PEAK	0.05096	0.07612	0.07612
OFF-PEAK	0.03022	0.05538	0.05538

WINTER

PART-PEAK	0.03643	0.06159	0.06159
OFF-PEAK	0.02701	0.05217	0.05217

SUMMER

DEMAND CHARGE (\$/KW)	PEAK	11.31	11.31	11.31
	PART-PEAK	2.13	2.13	2.13

PRIMARY VOLTAGE PEAK DISCOUNT	YEAR-ROUND	-2.33	(2.33)	(2.33)
-------------------------------	------------	-------	---------------	--------

STREET AND OUTDOOR LIGHTING

PG&E EQUIVALENT SCHEDULE	MBCP RATE SCHEDULE	CHARGE TYPE	PERIOD	MBCP PROPOSED		PG&E GENERATION RATE
				MBCP PROPOSED RATE	RATE WITH SURCHARGES ADDED	
LS-1, LS-2, LS-3, OL-1	STREET LIGHTING (LS-1, LS-2, LS-3 and OL-1)	ENERGY CHARGE (\$/KWH)	YEAR-ROUND	0.08103	0.08753	0.08753

TC-1	TC-1	ENERGY CHARGE (\$/KWH)	YEAR- ROUND	0.06976	0.09504	0.09504
------	-------------	------------------------------	----------------	---------	----------------	---------